TRANSMITTAL SHEET FOR NOTICE OF INTENDED ACTION

Control No. ³⁰⁹ Rule No. ^{720-x-2-,01}	_Departr	nent or Agenc	y Plumbers & Gas Fitters	Examining Board	-		
Rule Title: Definition of	Plumbing				•		
New_	Х	_Amend	Repeal	Adopt by Reference			
Would the absence harm or endanger th				Yes	-		
Is there a reasonable relationship between the state's police power and the protection of the public health, safety, or welfare?				No	_		
Is there another, less restrictive method of regulation available that could adequately protect the public?				No	-		
Does the proposed rule have the effect of directly or indirectly increasing the costs of any goods or services involved and, if so, to what degree?				No	-		
Is the increase in cost, if any, more harmful to the public than the harm that might result from the absence of the proposed rule?				No			
Are all facets of the rulemaking process designed solely for the purpose of, and so they have, as their primary effect, the protection of the public?				Yes	_		
*****	*****	******	*******	********			
Does the proposed rule have an economic impact?				No			
				tle is required to be accompanied 23, Code of Alabama 1975.	by a fiscal note		
**************************************			**********	*********			
22, Title 41, Code	of Alaba	na 1975, and	as been proposed in that it conforms to Legislative Referen	full compliance with the required all applicable filing requirements not Service.	ments of Chapter of the		
Signature of certify	ying offic	er_ <i>Min</i>	MAGA		····		
Date ///30	2/20.	5					

(DATE FILED) (STAMP)

State of Alabama Plumbers and Gas Fitters Examining Board

NOTICE OF INTENDED ACTION

AGENCY NAME:

Alabama Plumbers and Gas Fitters Examining Board

RULE NO. & TITLE:

720-x-2.01 Definition of Plumbing

INTENDED ACTION:

The Alabama Plumbers and Gas Fitters Examining Board proposes to amend rule 720x-x2-.01 of Alabama Code 34-37

SUBSTANCE OF PROPOSED ACTION:

The proposed action of rule 720-x-2.01 would clarify section 34-37-1(11) by defining the definition of plumbing.

TIME, PLACE, MANNER OF PRESENTING VIEWS:

Comments may be submitted in writing or orally at a public hearing to be held at 4:00 p.m., January 14, 2016, in the Board's office located at 11 West Oxmoor Road, Suite 104, Birmingham, AL 35209. Comments will be accepted until 4:30 p.m. on February 4, 2016.

FINAL DATE FOR COMMENT AND COMPLETION OF NOTICE:

February 4, 2016

CONTACT PERSON AT AGENCY:

David H. Wilcox (205) 945-4857

Executive Director

State of Alabama Plumbers and Gas Fitters Examining Board

Proposed Rule Change

720-x-2-.01

720-x-2-.01 Definition of Plumbing. With respect to a building sewer, the building sewer begins at the connection with the building drain and is considered plumbing until it reaches a public sewer or an individual disposal system. With respect to water service, the water line from the meter to the building, is considered plumbing. With respect to the single-family residential dwelling domestic water supply, the water line from the meter to the building or from the outlet side of a well pump to the building is considered plumbing. With respect to the sewer, the building sewer begins at the connection with the building drain and is considered plumbing until it reaches the property line, an individual disposal system, or a point within an easement or right-of-way.

Non-residential domestic water supply and sewer represented by mechanical drawings signed and sealed by an engineer licensed in the State of Alabama shall be considered plumbing. Non-residential domestic water supply four inches in diameter and greater, and sewer lines six inches in diameter and greater, represented by civil drawings signed and sealed by an engineer licensed in the State of Alabama shall not be considered plumbing.

Sewage grinder pumps and sewage lift stations with discharge lines four inches and greater, and force mains four inches and larger shall not be considered plumbing.

Author: David H. Wilcox

Statutory Authority: Section 34-37-2 (Code of Alabama 1975 as amended)

History: Rule Change

Certified: