

**ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
WATER DIVISION**

NOTICE OF INTENDED ACTION

Agency Name: Alabama Department of Environmental Management
Rule No. & Title: 335-6-6-.11 Conditions Applicable to Storm Water Discharges by Operators of Municipal Storm Sewers (Amend)
Intended Action: The Alabama Department of Environmental Management proposes to amend rule 335-6-6-.11

Substance of Proposed Action:


The Department proposes to amend this rule and to make administrative corrections in this rule.

Time, Place, Manner of Presenting Views:

Comments may be submitted in writing or orally at a public hearing to be held at 10:00 AM, November 10, 2016, in the ADEM Main Hearing Room, 1400 Coliseum Boulevard, Montgomery, Alabama 36110.

Final Date for Comment and Completion of Notice: November 10, 2016

Contact Person at Agency: Christy Monk, (334) 394-4364



Lance R. LeFleur
Director

335-6-6-.11 Conditions Applicable to Storm Water Discharges by Operators of Municipal Storm Sewers. NPDES permits issued to operators of large or medium municipal separate storm sewer systems (MS4s) shall include the applicable requirements of 40 CFR Part ~~§~~122.42(c) (~~2000~~2016). NPDES permits issued to operators of small MS4s shall include the applicable requirements of 40 CFR Parts ~~§§~~122.30 – 122.37 (~~2000~~2016).

Author: John Poole, Truman Green.

Statutory Authority: Code of Alabama 1975, § 22-22-9, § 22-22A-5.

History: October 19, 1979. **Amended:** January 24, 1989; April 29, 1991; January 23, 2003; XXXX XX, 2017.