

APA-2
11/96

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
WATER DIVISION

NOTICE OF INTENDED ACTION

AGENCY NAME: Department of Environmental Management

RULE NO. & TITLE: 335-7-2-.07 Microbiological Standards and Monitoring Requirements (Amend)
335-7-2-.12 Stage 2 Disinfection Byproducts (Amend)
335-7-2-.21 Public Notification (Amend)
335-7-2-.22 Assessments (New)


INTENDED ACTION: Revise Division 7 of the ADEM Administrative Code.

SUBSTANCE OF PROPOSED ACTION: Revisions to rules 335-7-2-.07; 335-7-2-.12 and 335-7-2-.21 are being proposed to make technical clarifications and make administrative corrections. Rule 335-7-2-.22 is being proposed to add applicable federal requirements on assessments.

TIME, PLACE, MANNER OF PRESENTING VIEWS: Comments may be submitted in writing or orally at a public hearing to be held 2:00 p.m., September 10, 2014, in the ADEM Hearing Room, 1400 Coliseum Blvd., Montgomery, Alabama 36110.

FINAL DATE FOR COMMENT AND COMPLETION OF NOTICE: Wednesday, September 10, 2014 at 5:00 p.m.

CONTACT PERSON AT AGENCY: Christy V. Monk, Chief
Office of Water Services at (334) 394-4364



Lance R. LeFleur
Director