

APA-2  
11/96

ALABAMA DEPARTMENT OF LABOR  
ELEVATOR SAFETY REVIEW BOARD

NOTICE OF INTENDED ACTION

AGENCY NAME: Alabama Department of Labor

RULE NO. & TITLE: **Rule 490-2-2-.03. Minimum Standards and Adoption of Nationally Recognized Safety Codes**


INTENDED ACTION: **Amendment of Rule**

SUBSTANCE OF PROPOSED ACTION: The Alabama Department of Labor is updating the Rule to reflect its long time requirement of having the shut trip for the elevator disconnecting means be located outside the elevator machine room.

TIME, PLACE, MANNER OF PRESENTING VIEWS: Views may be presented orally or in writing Monday - Friday 8:00 am till 4:30 pm to Ralph P. Pate, Chief Elevator Inspector. 334 242-3066

FINAL DATE FOR COMMENT AND COMPLETION OF NOTICE: May 6<sup>th</sup>, 2008

CONTACT PERSON AT AGENCY: Ralph Pate, Chief Elevator/Boiler Inspector, at phone (334) 242-3066; email: [Ralph.Pate@alalabor.Alabama.Gov](mailto:Ralph.Pate@alalabor.Alabama.Gov) or mail to: 100 North Union Street, Suite 620, Montgomery, AL 36130.

  
\_\_\_\_\_  
Jim Bennett  
Commissioner of Labor