

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
WATER DIVISION

NOTICE OF INTENDED ACTION

AGENCY NAME: DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

RULE NO. & TITLE

Rule 335-7-2-.03 Inorganic Chemical Standards and Monitoring Requirements
Rule 335-7-2-.04 Synthetic Organic Chemical Standards and Monitoring Requirements
Rule 335-7-2-.05 Volatile Synthetic Organic Chemicals Standards and Monitoring Requirements (New)
Rule 335-7-2-.06 Turbidity Standards and Monitoring Requirements
Rule 335-7-2-.07 Microbiological Standards and Monitoring Requirements
Rule 335-7-2-.08 Radionuclide Standards and Monitoring Requirements
Rule 335-7-2-.09 Maximum Residual Disinfectant Levels and Monitoring Requirements
Rule 335-7-2-.10 Special Monitoring and Analytical Requirements for Unregulated Contaminants
Rule 335-7-2-.11 Stage 1 Disinfection Byproducts (New)
Rule 335-7-2-.12 Stage 2 Disinfection Byproducts (New)
Rule 335-7-2-.13 Distribution System Evaluation (New)
Rule 335-7-2-.14 Standard Monitoring Plan (New)
Rule 335-7-2-.15 System Specific Study (New)
Rule 335-7-2-.16 Operational Evaluation Level (New)
Rule 335-7-2-.17 Cryptosporidium Monitoring and Compliance (New)
Rule 335-7-2-.18 Monitoring Requirements of Consecutive Systems
Rule 335-7-2-.19 Monitoring Waiver Criteria
Rule 335-7-2-.20 Reporting Requirements
Rule 335-7-2-.21 Public Notification

INTENDED ACTION:

Revise Division 7 of the ADEM Administrative Code.

SUBSTANCE OR PROPOSED ACTION:

Revisions to the Division 7 Code are being proposed to amend Rule 335-7-2-.03 to make the Nitrate requirements the same as USEPA, separate the Organic Chemical Standards and Monitoring Requirements into different sections to allow for easier reference and correct grammatical errors. Rule 335-7-2-.04 was amended to delete Volatile Synthetic Organic Chemicals and Disinfection Byproducts. Rule 335-7-2-.05 was created to keep the Organic Chemical Standards and Monitoring requirements in order. Rule 335-7-2-.06, 335-7-2-.07, 335-7-2-.08, 335-7-2-.09, 335-7-2-.10, 335-7-2-.18, 335-7-2-.19 and 335-7-2-.20 are being amended for renumbering of sections and rewording to make the sections easier to read. Rule 335-7-2-.11 was added to separate the Stage 1 Disinfection Byproducts from the Organic Chemical Standards and Monitoring Requirements for easier reference. Rules 335-7-2-.12, 335-7-2-.13, 335-7-2-.14, 335-7-2-.15 and 335-7-2-.16 were added to


comply with USEPA's Stage 2 Disinfection/Disinfection Byproduct Rule. Rule 335-7-2-.17 was added to comply with USEPA's Long Term 2 Enhanced Surface Water Treatment Rule. Rule 335-7-2-.21 was renumbered and modified to comply with USEPA's Long term 2 Enhanced Surface Water Treatment Rule.

TIME, PLACE, MANNER OF PRESENTING VIEWS:

Comments may be submitted in writing or orally at a public hearing to be held at 1:00 p.m., November 2, 2007, in the ADEM Hearing Room, 1400 Coliseum Boulevard, Montgomery, Alabama 36110.

FINAL DATE FOR COMMENT AND COMPLETION OF NOTICE: November 2, 2007

CONTACT PERSON AT AGENCY: Dennis Harrison (334) 271-7774



Onis "Trey" Glenn, III
Director